




FPM230




G-WENDT



11/4 Chrome
85" HL

11/4 EDV
2000

11/4 EDV
2000

GIP
G-TREND

3" POLISHING DISC
FELT
GIP

FPM230 – finishing machine and angle polisher in one power tool

Our FPM230 with a variety of attachments offers you a flexible 5-in-1 solution for professional surface processing. This versatile tool is suitable for a wide range of different application areas. The FPM-230 is a machine for finishing and polishing and can be used for both in both right angle or linear applications. Combine with attachments such as a pipe finisher, belt file, or fillet weld grinder, and you can expand the flexibility of the tool.





BASIC PACKAGE

G-WENDT FPM230 – Machine

Our finishing machine – which can also be used as an angle polisher – is outstanding for blending, satin-finishing or high-gloss polishing. Accordingly, you can use this tool with discs and rolls! It can be used on pipes, for example, but also on flat or irregularly shaped workpieces. The basic package includes a swivel-mounted handle as well as a protective bracket and case. Guaranteed quality – **made in Germany**.

General performance features

- ▶ Rated input – 1,200 W
- ▶ Power output – 750 W
- ▶ Accommodates finishing and polishing tools up to 230 mm diameter
- ▶ Adjustable speed – 900 to 2,500 rpm
- ▶ M14 attachment spindle
- ▶ 4 m cable
- ▶ 2.5 kg tool weight



High-performance

The high-performance motor guarantees considerable tool life, at low machine temperature – even under maximum load.

Ergonomics and durability

Safe and comfortable handling. The compilation of best components also guarantees an impressive service life.

Speed stability

The two-level gear reduction ensures that the speed is kept constant even under heavy contact pressure.

Variable application possibilities

The comprehensive FPM230 range makes it possible to use this machine as a real multi-function tool.

TYPE G-WENDT FPM230

Type	Art. No.	
G-WENDT FPM230 – 230 V, 50 Hz, M14, incl. tool case and accessories	999 923	1




OPERATOR VERSION

G-WENDT FPM230 – Machine incl. product set


Alongside the basic package of the FPM230, we offer a particularly comprehensive range of grinding and polishing tools and accessories. This allows you to get maximum versatility out of your purchase. You can get started immediately and process metal surfaces up to a mirror finish.



TYPE G-WENDT FPM230 – MACHINE INCL. PRODUCT SET

Type	Art. No.	
G-WENDT FPM230 – 230 V, 50 Hz, M14, incl. tool case, accessories and product set	999 925	1


TYPE WHEEL ARBOR

Type	Art. No.	
M14	999 929	1



Accommodates rolls and accessories with a 19 mm keyway arbor – simply spin on to the M14 thread.

SET CONTENTS

Components	Art. No.	
G-WENDT FPM230 – 230 V, 50 Hz, M14	–	1
Tool case	–	1
Flap roll, Type LW, 110 x 100 mm, M14, Korn 80	323 224	1
Flap roll Interleaved, Type KW, 110 x 100 mm, M14, fine / 150	323 515	1
Flap roll Nonwoven,, Type VW, 110 x 100 mm, M14, very fine	323 718	1
Felt brush roll, Type FWG, 110 x 100 mm, M14, D5H25	323 870	1
Felt flap discs, Type FG27, 125 mm, M14, D5H25 & D5H40	249 921	1
	249 922	1
Polishing compound RED	999 024	1
Polishing compound WHITE	999 025	1

ATTACHMENTS

Pipe Finishing Attachment – PBS650 and PBS760

Our pipe finishing attachments are especially suitable for processing pipes, tubes or railings. They are available in two sizes according to the component identification and support a belt length of 650 mm or 760 mm. They can accommodate pipe diameters up to 150 mm or 230 mm, respectively.



Please note that the Attachments to the FPM230 are exclusive of the machine.

TYPE PBS650 & PBS760

Description	Insert	Belt length	Max. Pipe Ø	Art. No.	
Pipe Finishing Attachment G-WENDT PBS650, incl. tool case and product set	M14	650 mm	150 mm	999 932	1
Pipe Finishing Attachment G-WENDT PBS760, Incl. tool case and product set	M14	760 mm	230 mm	999 934	



Belt File Attachment – BFS650

Our belt file attachment is ideal for working in areas which are difficult to reach – for example narrow guides, profiles, edges or corners. Suitable for preparing surfaces, finishing as well as stock removal.



Properties:

- ▶ Maximum reach – 200 mm
- ▶ Belt length – 650 mm
- ▶ Suitable for belts 6 and 12 mm wide

TYPE BFS650

Description	Insert	Max. Reach	Art. No.	
Belt File Attachment G-WENDT BFS650, incl. tool case and product set	M14	200 mm	999 936	1

Please note that the Attachments to the FPM230 are exclusive of the machine.

Fillet Weld Attachment FWG300



The compact fillet weld attachment makes it possible to processing fillet welds in tank construction, areas which are difficult to reach or inner angles. Use with discs up to 160 mm diameter.

TYPE FWG300

Description	Insert	Arm length	Art. No.	
Fillet Welt Attachment G-WENDT FWG300, incl. tool case and product set	M14	300 mm	999 941	1

Please note that the Attachments to the FPM230 are exclusive of the machine.

FPM230 – “THE ACCESSORIES”

Sanding belt set – for pipe finishing and belt file attachment

An assortment of high-quality sanding belts:

- ▶ Ceramic versions for maximum material removal
- ▶ Surface-conditioning versions for satin-finishing and finish grinding
- ▶ High-tech versions for structuring

No wish remains unfulfilled.

SET CONTENTS

Description	Band width	Band length	Art. No.	
Sanding belt set for G-WENDT PBS650	15 & 40 mm	650 mm	999 962	
Sanding belt set for G-WENDT PBS760	15 & 40 mm	760 mm	999 963	1
Sanding belt set for G-WENDT BFS650	6 & 12 mm	650 mm	999 964	






Sanding and polishing disc set – for the fillet weld attachment FWG300

This set contains everything you need to achieve a perfect surface result – from removal tools to high-gloss polishing.

Description	Art. No.	
Sanding and polishing disc set – for the fillet weld attachment FWG300	999 942	1




INCLUDED IN SET

Description	Specification	Dimensions (mm)			Art. No.	RPM. max.	
		Ø A	B	Ø C			
Folded Flap Disc	Alox A80	160	10	25	323 632	5.500	1
Polishing Disc	Felt H68	160	6	25	346 959	5.500	1
UNITIZED Disc	9A Coarse	150	3	25	348 703	6.000	1

Some more UNITIZED Discs are separately available:

Description	Specification	Dimensions (mm)			Art. No.	RPM. max.	
		Ø A	B	Ø C			
UNITIZED Discs	9A Coarse	150	6	25	348 713	6.000	1
	8S Medium				348 714	6.000	1
	7S Very Fine				348 715	6.000	1





**TRANSFORMING GRINDERS
INTO FINISHING SPECIALISTS**



Günter Wendt GmbH

Werner-von-Siemens Straße 5
51570 Windeck

Tel. +49 (0) 2292 / 9140-0

Fax. +49 (0) 2292 / 9140-0

info@g-wendt.com

www.g-wendt.com

